

Appendix

Table A-1. Summation of Terms of the Poisson Exponential Binomial Distribution Limit

Entries in the table, when multiplied by 10^{-3} , represent the probabilities of c or fewer defects, defectives, or occurrences when the expected or average number is np' .

c c' or np'	0	1	2	3	4	5	6	7	8	9
0.02	980	1,000								
0.04	961	999	1,000							
0.06	942	998	1,000							
0.08	923	997	1,000							
0.10	905	995	1,000							
0.15	861	990	999	1,000						
0.20	819	982	999	1,000						
0.25	779	974	998	1,000						
0.30	741	963	996	1,000						
0.35	705	951	994	1,000						
0.40	670	938	992	999	1,000					
0.45	638	925	989	999	1,000					
0.50	607	910	986	998	1,000					
0.55	577	894	982	998	1,000					
0.60	549	878	977	997	1,000					
0.65	522	861	972	996	999	1,000				
0.70	497	844	966	994	999	1,000				
0.75	472	827	959	993	999	1,000				
0.80	449	809	953	991	999	1,000				
0.85	427	791	945	989	998	1,000				
0.90	407	772	937	987	998	1,000				
0.95	387	754	929	984	997	1,000				
1.00	368	736	920	981	996	999	1,000			

Table A-1. (continued)

c c' or np'	0	1	2	3	4	5	6	7	8	9
1.1	333	699	900	974	995	999	1,000			
1.2	301	663	879	966	992	998	1,000			
1.3	273	627	857	957	989	998	1,000			
1.4	247	592	833	946	986	997	999	1,000		
1.5	223	558	809	934	981	996	999	1,000		
1.6	202	525	783	921	976	994	999	1,000		
1.7	183	493	757	907	970	992	998	1,000		
1.8	165	463	731	891	964	990	997	999	1,000	
1.9	150	434	704	875	956	987	997	999	1,000	
2.0	135	406	677	857	947	983	995	999	1,000	
2.2	111	355	623	819	928	975	993	998	1,000	
2.4	091	308	570	779	904	964	988	997	999	1,000
2.6	074	267	518	736	877	951	983	995	999	1,000
2.8	061	231	469	692	848	935	976	992	998	999
3.0	050	199	423	647	815	916	966	988	996	999
3.2	041	171	380	603	781	895	955	983	994	998
3.4	033	147	340	558	744	871	942	977	992	997
3.6	027	126	303	515	706	844	927	969	988	996
3.8	022	107	269	473	668	816	909	960	984	994
4.0	018	092	238	433	629	785	889	949	979	992
4.2	015	078	210	395	590	753	867	936	972	989
4.4	012	066	185	359	551	720	844	921	964	985
4.6	010	056	163	326	513	686	818	905	955	980
4.8	008	048	143	294	476	651	791	887	944	975
5.0	007	040	125	265	440	616	762	867	932	968
5.2	006	034	109	238	406	581	732	845	918	960
5.4	005	029	095	213	373	546	702	822	903	951
5.6	004	024	082	191	342	512	670	797	886	941
5.8	003	021	072	170	313	478	638	771	867	929
6.0	002	017	062	151	285	446	606	744	847	916
	10	11	12	13	14	15	16			
2.8	1,000									
3.0	1,000									
3.2	1,000									
3.4	999	1,000								
3.6	999	1,000								
3.8	998	999	1,000							
4.0	997	999	1,000							
4.2	996	999	1,000							
4.4	994	998	999	1,000						

Table A-1. (continued)

c c' or np'	10	11	12	13	14	15	16			
4.6	992	997	999	1,000						
4.8	990	996	999	1,000						
5.0	986	995	998	999	1,000					
5.2	982	993	997	999	1,000					
5.4	977	990	996	999	1,000					
5.6	972	988	995	998	999	1,000				
5.8	965	984	993	997	999	1,000				
6.0	957	980	991	996	999	999	1,000			
	0	1	2	3	4	5	6	7	8	9
6.2	002	015	054	134	259	414	574	716	826	902
6.4	002	012	046	119	235	384	542	687	803	886
6.6	001	010	040	105	213	355	511	658	780	869
6.8	001	009	034	093	192	327	480	628	755	850
7.0	001	007	030	082	173	301	450	599	729	830
7.2	001	006	025	072	156	276	420	569	703	810
7.4	001	005	022	063	140	253	392	539	676	788
7.6	001	004	019	055	125	231	365	510	648	765
7.8	000	004	016	048	112	210	338	481	620	741
8.0	000	003	014	042	100	191	313	453	593	717
8.5	000	002	009	030	074	150	256	386	523	653
9.0	000	001	006	021	055	116	207	324	456	587
9.5	000	001	004	015	040	089	165	269	392	522
10.0	000	000	003	010	029	067	130	220	333	458
	10	11	12	13	14	15	16	17	18	19
6.2	949	975	989	995	998	999	1,000			
6.4	939	969	986	994	997	999	1,000			
6.6	927	963	982	992	997	999	999	1,000		
6.8	915	955	978	990	996	998	999	1,000		
7.0	901	947	973	987	994	998	999	1,000		
7.2	887	937	967	984	993	997	999	999	1,000	
7.4	871	926	961	980	991	996	998	999	1,000	
7.6	854	915	954	976	989	995	998	999	1,000	
7.8	835	902	945	971	986	993	997	999	1,000	
8.0	816	888	936	966	983	992	996	998	999	1,000
8.5	763	849	909	949	973	986	993	997	999	999
9.0	706	803	876	926	959	978	989	995	998	999
9.5	645	752	836	898	940	967	982	991	996	998
10.0	583	697	792	864	917	951	973	986	993	997

Table A-1. (continued)

<div><div><div><div><div></div><div>c</div></div></div><div><div>c' or np'</div></div></div></div>	20	21	22								
8.5	1,000										
9.0	1,000										
9.5	999	1,000									
10.0	998	999	1,000								
c' or np'	c	0	1	2	3	4	5	6	7	8	9
10.5		000	000	002	007	021	050	102	179	279	397
11.0		000	000	001	005	015	038	079	143	232	341
11.5		000	000	001	003	011	028	060	114	191	289
12.0		000	000	001	002	008	020	046	090	155	242
12.5		000	000	000	002	005	015	035	070	125	201
13.0		000	000	000	001	004	011	026	054	100	166
13.5		000	000	000	001	003	008	019	041	079	135
14.0		000	000	000	000	002	006	014	032	062	109
14.5		000	000	000	000	001	004	010	024	048	088
15.0		000	000	000	000	001	003	008	018	037	070
		10	11	12	13	14	15	16	17	18	19
10.5		521	639	742	825	888	932	960	978	988	994
11.0		460	579	689	781	854	907	944	968	982	991
11.5		402	520	633	733	815	878	924	954	974	986
12.0		347	462	576	682	772	844	899	937	963	979
12.5		297	406	519	628	725	806	869	916	948	969
13.0		252	353	463	573	675	764	835	890	930	957
13.5		211	304	409	518	623	718	798	861	908	942
14.0		176	260	358	464	570	669	756	827	883	923
14.5		145	220	311	413	518	619	711	790	853	901
15.0		118	185	268	363	466	568	664	749	819	875
		20	21	22	23	24	25	26	27	28	29
10.5		997	999	999	1,000						
11.0		995	998	999	1,000						
11.5		992	996	998	999	1,000					
12.0		988	994	997	999	999	1,000				
12.5		983	991	995	998	999	999	1,000			
13.0		975	986	992	996	998	999	1,000			
13.5		965	980	989	994	997	998	999	1,000		
14.0		952	971	983	991	995	997	999	999	1,000	
14.5		936	960	976	986	992	996	998	999	999	1,000
15.0		917	947	967	981	989	994	997	998	999	1,000

Table A-1. (continued)

$c' \text{ or } np'$	c	4	5	6	7	8	9	10	11	12	13
16	000	001	004	010	022	043	077	127	193	275	
17	000	001	002	005	013	026	049	085	135	201	
18	000	000	001	003	007	015	030	055	092	143	
19	000	000	001	002	004	009	018	035	061	098	
20	000	000	000	001	002	005	011	021	039	066	
21	000	000	000	000	001	003	006	013	025	043	
22	000	000	000	000	001	002	004	008	015	028	
23	000	000	000	000	000	001	002	004	009	017	
24	000	000	000	000	000	000	001	003	005	011	
25	000	000	000	000	000	000	001	001	003	006	
		14	15	16	17	18	19	20	21	22	23
16	368	467	566	659	742	812	868	911	942	963	
17	281	371	468	564	655	736	805	861	905	937	
18	208	287	375	469	562	651	731	799	855	899	
19	150	215	292	378	469	561	647	725	793	849	
20	105	157	221	297	381	470	559	644	721	787	
21	072	111	163	227	302	384	471	558	640	716	
22	048	077	117	169	232	306	387	472	556	637	
23	031	052	082	123	175	238	310	389	472	555	
24	020	034	056	087	128	180	243	314	392	473	
25	012	022	038	060	092	134	185	247	318	394	
		24	25	26	27	28	29	30	31	32	33
16	978	987	993	996	998	999	999	1,000			
17	959	975	985	991	995	997	999	999	1,000		
18	932	955	972	983	990	994	997	998	999	1,000	
19	893	927	951	969	980	988	993	996	998	999	
20	843	888	922	948	966	978	987	992	995	997	
21	782	838	883	917	944	963	976	985	991	994	
22	712	777	832	877	913	940	959	973	983	989	
23	635	708	772	827	873	908	936	956	971	981	
24	554	632	704	768	823	868	904	932	953	969	
25	473	553	629	700	763	818	863	900	929	950	
		34	35	36	37	38	39	40	41	42	43
19	999	1,000									
20	990	999	1,000								
21	997	998	999	999	1,000						
22	994	996	998	999	999	1,000					
23	988	993	996	997	999	999	1,000				

Table A-1. (continued)

c' or np'	c	34	35	36	37	38	39	40	41	42	43
24		979	987	992	995	997	998	999	999	1,000	
25		966	978	985	991	994	997	998	999	999	1,000

Credit: Eugene L. Grant, *Statistical quality control*, 3rd ed. (New York: McGraw-Hill Book Company, 1964).